



**INSTALLATION INSTRUCTIONS FOR
DODGE MODULE
2004-UP MAGNUM/300-C, 3.5L
& 5.7L HEMI**



**TECHNICAL ASSISTANCE 714-848-5515
JET Performance Products**

17491 Apex Circle

Huntington Beach, CA 92647

Phone: (714) 848-5515 • Fax: (714) 847-6290

www.JetChip.com

Information about your...



PERFORMANCE MODULE

The Jet Performance Module is designed to enhance the performance and driveability of your car. By optimizing the air/fuel ratio, ignition advance and various other parameters, the Jet Module retunes your engine for maximum performance.

JET STAGE 1 MODULE:

The Jet Stage 1 Module is optimized for stock vehicles. Minor bolt on modifications such as free flow air filters and cat back exhaust systems will work with the stage 1 tuning. Premium fuel is recommended for best performance gains, but for normal light driving, midgrade fuels may be used.

JET STAGE 2 MODULE:

The Jet Stage 2 Module is optimized for modified vehicles. The stage 2 requires premium fuel and the use of a Jet 180 degree thermostat. We also recommend a cat back exhaust system. The stage 2 will work well with headers, free flow air intake systems and filters.

INSTALLATION PROCEDURES

1. Disconnect negative battery cable. The battery is located in the trunk next to the spare tire.
2. The ECM is located on the passenger side of the engine compartment between the fender and the firewall underneath a plastic cover. (see photo 1)



Photo 1




Photo 2

4. Remove the bolt securing the ECU retaining bracket. (see photo 3)



Photo 3

5. Carefully remove ECU from it's mounting location. (see photo 4)



Photo 4

- Carefully unlatch the red clips from the wiring connectors shown in photo 5. Remove all the connectors from the ECU. (see photo 5)



Photo 5

- Remove the dust cover from the third connector from the mounting bracket by lifting on the 4 tabs with a small screw driver. (see photo 6)



Photo 6

- Place the ECU on a flat surface and install the JET module into the white connector on the ECU as shown. (see photo 7). You will need to press the module in firmly for proper connection. Make sure the module is fully seated and is not crooked in the connector.



Photo 7

- Reinstall the connector into the JET module and secure the red clip. (see photo 8)



Photo 8

10. Reinstall the ECU into it's mounting location. The ECU with the module installed is a tight fit, so be careful with the wires. Secure the mounting bracket and plastic cover.
11. Reinstall negative battery cable.
12. Start the vehicle and verify "service engine soon" light is not on.

TROUBLESHOOTING GUIDE...

Most computer or module problems are due to poor electrical contacts. If you have a problem, try the following:

1. Disconnect the negative battery cable, unplug the factory harness and the Jet Module.
2. Inspect both the factory parts and Jet Module for any bent or broken pins, dirt or contamination. Fix any minor problems you find.
3. Reinstall the module, harness, battery cable and recheck for the service engine light or any drivability problems.
4. If the problem still exists...

**Contact the Jet Technical Department
at (714) 848-5515**

If these fail to correct your problem - **DO NOT CONTACT THE DISTRIBUTOR YOU PURCHASED IT FROM OR GO BACK TO THE CAR/TRUCK DEALER - CALL THE JET TECH LINE AT (714) 848-5515.**



WHAT TO DO BEFORE TAKING YOUR VEHICLE IN FOR SERVICE

If a problem occurs that may require you to take your vehicle to a mechanic or dealership for service, first remove the JET Performance Chip or Module and reinstall back to stock. If the problem disappears when you remove the JET Performance Product, call JET and we will troubleshoot the product. However, if returning to stock does *not* cure your problem, there is nothing wrong with your JET Performance Product and you will need to have your vehicle serviced.

Anytime a diagnostic machine is to be used, the vehicle must be back to stock. Diagnostic machines expect to find the original stock program and often cannot correctly analyze the problem if other devices are installed. Failure to reinstall your system back to stock can result in unnecessary and costly repairs not covered by JET. Before you have any work done on the vehicle that you feel may have been related to the JET Performance Chip or Module, please call JET at 714-848-5515.

Limited Warranty

JET Performance Products warrants Chips and Modules to be free from defects in material and workmanship under normal use and if properly installed. This limited lifetime warranty is to the original purchaser for as long as he or she owns the vehicle on which the product was originally installed, provided all information requested is furnished. If found to be defective as mentioned above, it will be replaced or repaired at the sole discretion of JET if returned prepaid along with proof of date of purchase.

All other products and services performed by JET are warranted in defects in material and workmanship for a period of 6 months from date of purchase. This warranty is to the original purchaser for as long as he or she owns the vehicle on which the product was originally installed. Repair, Replacement, or Credit will be based on the date of purchase. Costs for labor are specifically excluded and are the sole responsibility of the purchaser.

This warranty does not apply to Custom Programming or any product incorrectly installed, modified by the purchaser, or to any product that has been subjected to misuse, negligence or accident.

To obtain warranty service and Return Authorization Number, contact our Customer Service Department at 714-848-5515 between 8 am and 5 pm Pacific Standard Time, Monday through Friday

Defective Products may be brought or sent prepaid (with Return Number) to JET Performance Products, 17491 Apex Circle, Huntington Beach, CA 92647.

Consumer Bill of Rights

The installation and use of the product does not void the new-vehicle warranty nor should it be cause for the vehicle to fail an emissions test. Notify the product manufacturer if either of these situations occur. If you are unable to adequately resolve either situation with the vehicle manufacturer, you may contact the Environmental Protection Agency (EPA) at 202-233-9040, if the vehicle manufacturer fails to honor emission-warranty claims, or the Federal Trade Commission (FTC) at 202-326-3128, if federal protection is denied.