



PROFORM 5000 lb. Wireless Vehicle Scale + Ramps Kit (p/n 67647)

Main features and parts


1. Four battery-powered weighing pads and LCD display unit.
2. Each weighing pad has a capacity of 1250 lbs. (568 kg.)
3. LCD display and weighing pads operate with AA batteries (included).
4. LCD display indicates percentage (%) weight of each wheel relative to the total vehicle weight.
5. **NEW FEATURES:** LCD display indicates **1.** Cross weight percentage loads, **2.** Side to Side weight percentage loads, and **3.** Front to Rear weight percentage loads.
6. Display measures in lbs. or kg. for each wheel and the total vehicle weight.
7. **NEW FEATURE:** LCD display indicates battery level for pads and LCD display.
8. All information is shown on one LCD screen.
9. Scale pads and LCD display box fit into a padded nylon protective bag.



LCD display format



LCD display unit power on screen



Metal barriers can interfere with the wireless signal while the vehicle is on the pads, so PROFORM recommends positioning the LCD display unit approximately 3 – 4 feet away to obtain the best signal. *Please note* that the handle of each scale pad should be facing the display unit as shown in the above drawing.

Operating instructions.


1. Open the battery door on the bottom of the LCD display box, and *carefully* insert 4 AA batteries into the battery pack.
2. Open the battery door of each weighing pad and *carefully* insert 4 AA batteries.
3. Power on each weighing pad by pressing the small button near the handle of each pad. The red LED light next to the handle will light up.
4. Make sure that the correct pad is positioned in front of the corresponding wheel: FR, FL, RR, and RL -**F**ront **R**ight, **F**ront **L**eft, **R**ear **R**ight, and **R**ear **L**eft. The handle of each weighing pad should be pointing outward to the side where the LCD display is located, as shown in the set up configuration above.
5. Power on the LCD display by pressing the “On/Off” button. Wait until the weight readings all show zero or press the “Tare” button to zero. Press “Kg/lb” to choose lbs. or kg.
6. The battery power indicators show 3 levels that represent the amount of battery life available. If the display shows only the battery outline, replace the 4 AA batteries in the

LCD display or the corresponding weighing pad.

7. Drive or lift the vehicle onto the scale system, so the center of each tire is in the center of the corresponding weighing pad. Do not press "Tare" if the vehicle is on the pads otherwise the vehicle has to be removed and the scale reset to zero.
8. While the car is on the pads. Shake each of the corners of the car up and down to relieve any residual stress or friction within the chassis.
9. The car total weight, individual weight of each wheel load as well as its percentage to the total weight will be shown at once. (**Screen #1**)
10. Press and hold the Unit key with one finger, press the TARE key once. The display passes to **Screen #2**, and gives you the total Front and Rear weight percentages. Press the TARE key again for **Screen #3**, which gives you the total Left and Right weight in percentages. Press the TARE key for **Screen #4**, which gives you the Cross weight of (LF) Left Front, and (RR) Rear Right percentage. Press the TARE key again for **Screen #5**, which displays the Cross weight of (RF) Right Front, and (LR) Left Rear percentage.
11. Press ON/OFF to power off the unit.
12. Press the button on each pad to turn off the pads. Make sure the red LED lights are all off.



Screen #1



Screen #2

Fr :Front weight percent

Rr :Rear weight percent



Screen #3

Lt :Left total percent

Rt: Right total percent



Screen #4

Cross Left Front, Right Rear percent



Cross Right Front, Left Rear percent

Screen #5



For more information please visit www.proformparts.com or call our tech team (586)774-2500
9:00 a.m. to 5:00 p.m. EST. Email: tech@proformparts.com

Specialty Auto Parts USA, Inc. | 26708 Groesbeck Hwy. | Warren, MI 48089

© 2013 Specialty Auto Parts USA, Inc. All Rights Reserved.